

Fig. 1




FIG. 2 is a block diagram of a user profile repository system. The system includes a User Profile Repository (200) which is connected to a Users database (205) and a Profile Groups database (210). The Users database (205) is connected to the Profile Groups database (210) via a bidirectional arrow (275). The Users database (205) is also connected to a set of user profile attributes (215-270) via a bidirectional arrow (225). The Profile Groups database (210) is connected to a set of profile attributes (230-260) via a bidirectional arrow (265). The user profile attributes (215-270) include Addresses, Names, Phone Numbers, Age, Income Bracket, E-mail address, Interests, Stories Viewed, and Transitions. The profile attributes (230-260) include Age, Income Bracket, Interests, Stories Viewed, and Transitions.

Fig. 2




Fig. 3




Fig. 4






Fig. 5a



**Fig. 5b**

Automatic Transition



**Fig. 5c**

**User-Profile Driven Transition**




Fig. 5d

User-Profile/Interactive Transition






Fig. 5e

Interactive Transition




Fig. 6




Fig. 7




Fig. 8



800	
805	<div></div> <div>Number of Travelers 810 Adults [ ] Children [ ] Infants [ ] Departure Day [ ] Month [ ] Year [ ] Arrival Day [ ] Month [ ] Year [ ]</div>
815	
Destination Video	

Fig. 9

900	
905	<div></div> <div>Resort Reservations 910 No. of Rooms [ ] No. of Beds [ ] Beachview [ ] Smoking [ ] Non-smoking [ ]</div>
915	
Resort Video	